





# Material Safety Data Sheet Glycerin MSDS

# **Section 1: Chemical Product and Company Identification**

Product Name: Glycerin

Catalog Codes: SLG1171, SLG1894, SLG1111, SLG1615

CAS#: 56-81-5

**RTECS:** MA8050000

TSCA: TSCA 8(b) inventory: Glycerin

CI#: Not available.

**Synonym:** 1,2,3-Propanetriol; Glycerol

Chemical Name: Glycerin

Chemical Formula: C3H5(OH)3

# **Contact Information:**

Sciencelab.com, Inc. 14025 Smith Rd. Houston, Texas 77396

US Sales: 1-800-901-7247

International Sales: 1-281-441-4400

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call:

1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

# **Section 2: Composition and Information on Ingredients**

# Composition:

Name	CAS#	% by Weight
Glycerin	56-81-5	100

**Toxicological Data on Ingredients:** Glycerin: ORAL (LD50): Acute: 12600 mg/kg [Rat]. 4090 mg/kg [Mouse]. DERMAL (LD50): Acute: 10000 mg/kg [Rabbit]. MIST(LC50): Acute: >570 mg/m 1 hours [Rat].

# **Section 3: Hazards Identification**

**Potential Acute Health Effects:** Slightly hazardous in case of skin contact (irritant, permeator), of eye contact (irritant), of ingestion, of inhalation.

#### **Potential Chronic Health Effects:**

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to kidneys.

Repeated or prolonged exposure to the substance can produce target organs damage.

# **Section 4: First Aid Measures**

## **Eye Contact:**

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.

#### Skin Contact:

Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

Serious Skin Contact: Not available.

#### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Serious Inhalation: Not available.

#### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

# **Section 5: Fire and Explosion Data**

**Flammability of the Product:** May be combustible at high temperature.

## **Auto-Ignition Temperature:**

370°C (698°F)(NFPA Fire Protection Guide to Hazardous Materials, 13th ed., 2002; NIOSH ICSC, 2001; CHRIS, 2001)

392 C (739 F) (Lewis, 1997)

#### Flash Points:

CLOSED CUP: 160°C (320°F). (Chemical Hazard Response Information System, 2001; Lewis, 1997).

OPEN CUP: 177°C (350.6°F) (Budavari, 2000; Chemical Response Information System, 2001; NIOSH ICSC, 2004)

2001)

OPEN CUP: 199 C(390 F) (National Fire Protection Association, Fire Protection Guide to Hazardous Materials, 13 ed., 2002)

Flammable Limits: LOWER: 0.9%

**Products of Combustion:** These products are carbon oxides (CO, CO2), irritating and toxic fumes.

#### Fire Hazards in Presence of Various Substances:

Slightly flammable to flammable in presence of open flames and sparks, of heat, of oxidizing materials.

Non-flammable in presence of shocks.

#### **Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Explosive in presence of oxidizing materials.

# Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards: Not available.

#### **Special Remarks on Explosion Hazards:**

Glycerin is incompatible with strong oxidizers such as chromium trioxide, potassium chlorate, or potassium

permanganate and may explode on contact with these compounds.

Explosive glyceryl nitrate is formed from a mixture of glycerin and nitric and sulfuric acids. Perchloric acid, lead oxide + glycerin form perchloric esters which may be explosive.

Glycerin and chlorine may explode if heated and confined.

## **Section 6: Accidental Release Measures**

#### Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

#### Large Spill:

Stop leak if without risk. If the product is in its solid form: Use a shovel to put the material into a convenient waste disposal container. If the product is in its liquid form: Do not get water inside container. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

# Section 7: Handling and Storage

#### **Precautions:**

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Hygroscopic

# **Section 8: Exposure Controls/Personal Protection**

#### **Engineering Controls:**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

# **Personal Protection:**

Safety glasses. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

#### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

# **Exposure Limits:**

TWA: 10 (mg/m3) from ACGIH (TLV) [United States] [1999] Inhalation Total.

TWA: 15 (mg/m3) from OSHA (PEL) [United States] Inhalation Total.

TWA: 10 STEL: 20 (mg/m3) [Canada]

TWA: 5 (mg/m3) from OSHA (PEL) [United States] Inhalation Respirable.Consult local authorities for acceptable exposure

limits.

# **Section 9: Physical and Chemical Properties**

Physical state and appearance: Liquid. (Viscous (Syrupy) liquid.)

Odor: Mild

Taste: Sweet.

Molecular Weight: 92.09 g/mole

Color: Clear Colorless.

pH (1% soln/water): Not available.

Boiling Point: 290°C (554°F)

Melting Point: 19°C (66.2°F)

Critical Temperature: Not available.

Specific Gravity: 1.2636 (Water = 1)

Vapor Pressure: 0 kPa (@ 20°C)

Vapor Density: 3.17 (Air = 1)

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: The product is more soluble in water; log(oil/water) = -1.8

Ionicity (in Water): Not available.

**Dispersion Properties:** See solubility in water, acetone.

Solubility:

Miscible in cold water, hot water and alcohol.

Partially soluble in acetone.

Very slightly soluble in diethyl ether (ethyl ether).

Limited solubility in ethyl acetate.

Insoluble in carbon tetrachloride, benzene, chloroform, petroleum ethers, and oils

# Section 10: Stability and Reactivity Data

Stability: The product is stable.

**Instability Temperature:** Not available.

Conditions of Instability: Avoid contact with incompatible materials, excess heat and ignition, sources, moisture.

Incompatibility with various substances: Highly reactive with oxidizing agents.

**Corrosivity:** Non-corrosive in presence of glass.

Special Remarks on Reactivity:

Hygroscopic.

Glycerin is incompatible with strong oxidizers such as chromium trioxide, potassium chlorate, or potassium permanganate.

Glycerin may react violently with acetic anhydride, aniline and nitrobenzene, chromic oxide, lead oxide and fluorine, phosphorous triiodide, ethylene oxide and heat, silver perchlorate, sodium peroxide, sodium hydride.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

# **Section 11: Toxicological Information**

Routes of Entry: Absorbed through skin. Eye contact.

#### **Toxicity to Animals:**

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE.

Acute oral toxicity (LD50): 4090 mg/kg [Mouse]. Acute dermal toxicity (LD50): 10000 mg/kg [Rabbit].

Acute toxicity of the mist (LC50): >570 mg/m3 1 hours [Rat].

Chronic Effects on Humans: May cause damage to the following organs: kidneys.

Other Toxic Effects on Humans: Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

#### **Special Remarks on Toxicity to Animals:**

TDL (rat) - Route: Oral; Dose: 100 mg/kg 1 day prior to mating.

TDL (human) - Route: Oral; Dose: 1428 mg/kg

#### Special Remarks on Chronic Effects on Humans:

Glycerin is transferred across the plancenta in small amounts. May cause adverse reproductive effects based on animal data (Paternal Effects (Rat): Spermatogenesis (including genetic material, sperm morphology, motility, and count), Testes, epididymis, sperm duct).

May affect genetic material.

## **Special Remarks on other Toxic Effects on Humans:**

Acute Potential Health Effects:

Low hazard for normal industrial handling or normal workplace conditions.

Skin: May cause skin irritation. May be absorbed through skin

Eyes: May cause eye irritation with stinging, redness, burning sensation, and tearing, but no eye injury. Ingestion: Low hazard. Low toxicity except with very large doses. When large doses are ingested, it can cause gastrointestinal tract irritation with thirst (dehydration), nausea or vomiting diarrhea. It may also affect behavior/central nervous system/nervous system (central nervous system depression, general anesthetic, headache, dizziness, confusion, insomnia, toxic psychosis, muscle weakness, paralysisconvulsions), urinary system/kidneys(renal failure, hemoglobinuria), cardiovascular system (cardiac arrhythmias), liver. It may also cause elevated blood sugar. Inhalation: Due to low vapor pressure, inhalation of the vapors at room temperature is unlikely. Inhalation of mist may cause respiratory tract irritation.

Chronic Potential Health Effects:

Ingestion: Prolonged or repeated ingestion may affect the blood(hemolysis, changes in white blood cell count), endocrine system (changes in adrenal weight), respiratory system, and may cause kidney injury.

# **Section 12: Ecological Information**

Ecotoxicity: Ecotoxicity in water (LC50): 58.5 ppm 96 hours [Trout].

BOD5 and COD: Not available.

#### **Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

# **Section 13: Disposal Considerations**

#### Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

# **Section 14: Transport Information**

**DOT Classification:** Not a DOT controlled material (United States).

**Identification:** Not applicable.

Special Provisions for Transport: Not applicable.

# **Section 15: Other Regulatory Information**

#### Federal and State Regulations:

Illinois toxic substances disclosure to employee act: Glycerin

Rhode Island RTK hazardous substances: Glycerin

Pennsylvania RTK: Glycerin

Minnesota: Glycerin

Massachusetts RTK: Glycerin

Tennessee - Hazardous Right to Know: Glycerin

TSCA 8(b) inventory: Glycerin

## Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

#### Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

#### DSCL (EEC):

Not available

S24/25- Avoid contact with skin and eyes.

# HMIS (U.S.A.):

Health Hazard: 1

Fire Hazard: 1

Reactivity: 0

Personal Protection: g

# National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 1

Reactivity: 0

Specific hazard:

## **Protective Equipment:**

Gloves. Lab coat.

Vapor respirator. Be sure to use an

approved/certified respirator or

equivalent. Wear appropriate respirator

when ventilation is inadequate.

Safety glasses.

# **Section 16: Other Information**

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 08:38 PM

Last Updated: 11/06/2008 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.